



CAPACITOR VALUES - MFDS							RESISTOR VALUES - OHMS							TRANSFORMER VOLTAGE VALUE			
fN	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	R <sub>1</sub>	R <sub>2</sub>	R <sub>3</sub>	R <sub>4</sub>	R <sub>5</sub>	R <sub>6</sub>	R <sub>7</sub>	E <sub>1</sub>	E <sub>2</sub>	E <sub>3</sub>	E <sub>4</sub>
60	0.501	0.0458	0.0185	0.0085	0.0048	0.00197	110	110	210	2720	700	4000	25000	3.4	9.5	13.0	67.0
50	0.639	0.071	0.016	0.0085	0.0056	0.0027											
40	0.793	0.082	0.022	0.0101	0.0075	0.0034											
25	1.316	0.154	0.035	0.0161	0.0103	0.0055											

NOTE: NUMBERS IN CIRCLES INDICATE POSITION OF SWITCH RELATIVE TO PANEL.

D	SSP	Changed D.B. Res.	10/8/36
C	H.S.	Added Deluxe Series	10/3/36
B	W.C.	25.40 + 50W. ARRA	9-22-36
A	W.C.	*COED	8-24-36
REV	BY	WAS	DATE

**SUPREME** INSTRUMENTS CORPORATION GREENWOOD, MISS., U.S.A.

**SCHMATIC WIRING DIAGRAM**  
**MODEL 550 RADIO TESTER**  
**DELUXE SERIES** ← ©

DRAWN BY **H.C. JOHNSTON**  
 TRACED BY **H.C. JOHNSTON**  
 CHECKED BY **W.C. [Signature]**  
 APPROVED BY **[Signature]**

DATE **6-1-36**  
**1286-C**



**SUPREME**

*Testing Instruments*

"SUPREME BY COMPARISON"

Downloads Provided Free At  
[www.Suprmelnsruments.org](http://www.Suprmelnsruments.org)

**Not For Resale**